AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1-331 (canceled)

332. (previously presented) A method of treating cancer in a mammal having a tumor comprising administering intravenously to said mammal more than one dose of a live purified Newcastle Disease Virus in an amount sufficient to cause tumor regression.

333. (previously presented) A method as in claim 332 wherein said tumor is selected from the group consisting of: lung carcinoma, breast carcinoma, prostate carcinoma, colon adenocarcinoma, cervical carcinoma, endometrial carcinoma, ovarian carcinoma, bladder carcinoma, Wilm's tumor, fibrosarcoma, osteosarcoma, melanoma, synovial sarcoma, neuroblastoma and glioblastoma.

334. (previously presented) A method as in claim 332 wherein said tumor is a colon adenocarcinoma.

335. (previously presented) A method as in claim 332 wherein said tumor is a melanoma.

336. (previously presented) A method as in claim 332 wherein said tumor is a neuroblastoma.

337. (previously presented) A method as in claim 332 wherein said Newcastle Disease Virus is strain Mass MK107.

338. (previously presented) A method as in claim 332 wherein said Newcastle Disease Virus is strain 73-T.

339-341. (canceled)

342. (previously presented) A method as in claim 332 wherein the amount of Newcastle Disease Virus administered intravenously is about 4×10^{10} to 4×10^{12} PFU/kg.

343-351. (canceled)

352. (previously presented) A method as in claim 332 wherein the Newcastle Disease Virus is administered intravenously in an amount of about 10⁸ PFU.

353-366 (canceled)

367. (previously presented) A method according to claim 332 further comprising administering a chemotherapeutic agent.

- 368. (currently amended) A method as in claim 367 where the chemotherapeutic agent is selected from the group consisting of thiotepa, busulfan, cyclophosphamide, methotrexate, cytarabine, bleomycin, cisplatin, doxorubicin, melphalan, mercaptopurine, vinblastine, 5-fluorouracil, taxel paclitaxel, and retinoic acid.
- 369. (previously presented) A method as in claim 368 where the chemotherapeutic agent is 5-fluorouracil.
- 370. (previously presented) A method according to claim 332 further comprising administering an immunosuppressive agent.
- 371. (previously presented) A method as in claim 370 wherein said immunosuppressive agent is a corticosteroid.
- 372. (previously presented) A method according to claim 332 further comprising administering a cytotoxic or cytostatic agent.
- 373. (previously presented) A method as in claim 372 wherein said cytotoxic of cytostatic agent is an antibody.
- 374. (previously presented) A method as in claim 372 wherein said cytotoxic or cytostatic agent is a cytokine.

375-383. (canceled)

384. (previously presented) A method according to claim 332, wherein said Newcastle Disease Virus is essentially free of allantoic fluid.

385. (previously presented) A method according to claim 332, wherein said

Newcastle Disease Virus is essentially free of red cells, embryonic membranes and egg
shell debris.

386. (previously presented) A method according to claims 332, wherein said Newcastle Disease Virus is purified from cell culture.

387. (previously presented) A method as in claim 332 wherein said tumor is cervical carcinoma.

388-391. (canceled)

392. (currently amended) A method according to claim 332, 388 or 389 wherein said Newcastle Disease Virus is in the form of a composition which consists essentially of Newcastle Disease Virus.

- 393. (currently amended) A method according to claim 332, 388 or 389 wherein said Newcastle Disease Virus is in the form of a composition also comprising a pharmaceutically acceptable carrier.
- 394. (currently amended) A method according to claim 332, 375, 388 or 389 wherein said tumor is a human tumor.
- 395. (currently amended) A method according to claim 332, 375, 388 or 389 wherein said turnor is greater than 0.6 cm in diameter.
- 396. (currently amended) A method according to claim 332, 375, 388 or 389 wherein said tumor is a metastatic tumor.
- 397. (currently amended) A method according to claim 332, 375 or 388 wherein said amount administered is sufficient to cause complete tumor regression.

398. (currently amended) A method as in claim 332, 375, 388 or 389 wherein said Newcastle Disease Virus is a strain of moderate virulence.

399. (currently amended) A method according to claim 332, 375, 388 or 389 t Chammy of sex. forward land further comprising administering radiation.

400-402. (canceled) .

403. (currently amended) A method according to claims 332, 375, 388 or 389 wherein said administering step causes tumor regression.